

# **AASERT; Moored Time Series Measurements of the Vertical Structure of Optical Properties in the Coastal Ocean**

Tommy D. Dickey

Ocean Physics Laboratory  
University of California at Santa Barbara  
6487 Calle Real, Suite A  
Goleta, CA 93117

phone: (805) 893-7354 fax: (805) 967-5704 email: [tommy.dickey@opl.ucsb.edu](mailto:tommy.dickey@opl.ucsb.edu)

Award #: N000149810508

<http://www.opl.ucsb.edu/cmo.html>

## **LONG-TERM GOAL**

The overall goal of our work is to establish and quantify physical and particle relationships via optical properties as part of the ONR Coastal Mixing and Optics (CMO) program. Specific goals of our research are: 1) to better understand the problem of vertical mixing and transport of particles, 2) to obtain new observations which will enable us to examine and model important processes (both periodic and episodic) that affect the distributions of optical properties and particle concentrations, and 3) to improve the interpretation and facilitate the utilization of emerging optical measurements taken in coastal waters.

## **OBJECTIVES**

The overall objective of our research is to determine how particles and optical properties respond to physical forcing under various oceanic conditions on a broad continental shelf off the east coast of the U.S. Specific objectives are:

- 1) To quantify the variability of optical and physical properties at time scales as short as a few minutes. Our data sets allow us to compute: power spectra, coherence, and phase functions of time series of spectral beam attenuation coefficient, spectral scattering coefficient, and spectral absorption coefficient, estimated particle concentration, chlorophyll fluorescence, temperature, salinity, and horizontal currents. The physical and optical data are being integrated with those of other groups for joint analyses directed toward physical aspects,
- 2) To relate physical processes (e.g., wind forced waves, mixing activity, internal and inertial waves, solitary waves, tides, advection, etc.) to observed optical variability,
- 3) To make general distinctions among particle types and to partition their origin (e.g., biogenic from euphotic layer versus resuspended sediment),
- 4) To relate optical and particle variability near the ocean bottom to physical processes affecting sediment resuspension, and
- 5) To provide time series (at several depths) of physical and optical properties to complement vertical microstructure measurements (optical and physical) to set the context for these observations and model development.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 1999</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-1999 to 00-00-1999</b>	
4. TITLE AND SUBTITLE <b>AASERT; Moored Time Series Measurements of the Vertical Structure of Optical Properties in the Coastal Ocean</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>University of California at Santa Barbara, Ocean Physics Laboratory, 6487 Calle Real, Suite A, Goleta, CA, 93117</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>5</b>	19a. NAME OF RESPONSIBLE PERSON
a REPORT <b>unclassified</b>	b ABSTRACT <b>unclassified</b>	c THIS PAGE <b>unclassified</b>			

## **APPROACH**

We simultaneously collected time series of optical and physical data from several depths using a variety of newly developed optical (e.g., spectral capability) and physical instruments placed on a mooring at a mid-shelf location (Mid-Atlantic Bight, roughly 40.5N, 70.5W). Our choice of optical parameters enables the interpretation of the data in terms of different optically important components of seawater (biogenic particles and non-biogenic particles). We deployed 3 moored instrument packages (approximately 14, 37, and 52m depths) on a mid-shelf mooring (water depth of roughly 70m) and a fourth on a bottom tripod (within about 2m of the bottom). A total of 4 deployments were conducted between July 8, 1996 and June 11, 1997 with temporal resolution of a few minutes to one hour.

## **WORK COMPLETED**

All four deployments of the mooring, data analyses, and data reports have been completed. Two papers have been published (Geophysical Research Letters and Applied Optics) and five other papers are in review for the Journal of Geophysical Research. Grace Chang's thesis (Chang, 1999), which is based on CMO data, is completed and will be defended by the end of 1999. Highlight data may be viewed on our web site (<http://www.opl.ucsb.edu/cmo.html>).

## **RESULTS**

A remarkable data set with a very high percentage of data return was collected (Dickey et al., 1998a,b, Chang and Dickey, 1999a,b). The eye of Hurricane passed within roughly 110km of our mooring (site is on 70m isobath) on September 1-2, 1996 and soon after Hurricane Hortense passed within roughly 350km of our mooring on September 14, 1996 (Dickey et al., 1998a). With the passage of Edouard, the mixed layer deepened very rapidly with temperature differences from the top to bottom (68m) decreasing from 12degC to about 2 degC. Sediment resuspension was dramatic as well and is easily seen in all optical data, including the ac-9 data. The resuspension event is evident from 68m up to the 37m depth. Surprisingly, Hortense's passage resulted in significant sediment resuspension despite its relatively great distance from the mooring site (Chang et al., 1999). Souza et al. (1999) have reported modeling results for sediment resuspension. Internal solitary waves (ISWs) were ubiquitous during our observations (Chang and Dickey, 1998a; 1999b). Some ISW packets show a strong correspondence in chlorophyll fluorescence and/or beam attenuation, while others do not. In addition, partitioning of spectral absorption between phytoplankton, detrital, and dissolved components has been accomplished using a hybrid model (Chang and Dickey, 1998a). Other areas of study include the complete seasonal cycle of bio-optical and physical variability (Chang and Dickey, 1999b) and the occurrence of fronts and intrusions and their relations to optical property distributions (Boss et al., 1999; Pegau et al., 1999). Please see web site <http://www.icess.ucsb.edu/opl/cmo.html>.

## **IMPACT/APPLICATION**

It is evident that the data collected during the two hurricanes are very unique and will be most valuable for understanding major episodic perturbation of the optical properties of the coastal ocean. Sediment resuspension, modification of biomass constituents, and productivity will all be

topics of intense study and modeling using this rich data set along with complementary data collected by CMO/PRIMER colleagues. The roles of ISWs and fronts and intrusions in affecting optical signatures are other important aspects of the work, which will have high impacts we believe.

## **TRANSITIONS**

The results of our work (see impacts above) should be of interest to several levels of Navy interest.

## **RELATED PROJECTS**

Our study is highly complementary to other CMO/PRIMER activities. Several other moorings and another bottom tripod sampled in the vicinity of our mooring. A variety of shipboard (profile and SeaSoar) and satellite observations also complement our measurements. Our high resolution time series will be beneficial for the vertical and horizontal mixing efforts along with remote sensing activities and vice versa.

## **REFERENCES**

Boss, E., W.S. Pegau, W.D. Gardner, J.R. V. Zaneveld, A.H. Barnard, G.C. Chang, and T.D. Dickey, Particulate attenuation at the bottom boundary layer of a continental shelf, J. Geophys. Res., submitted, 1999.

Chang, G.C., Time scales of bio-optical variability associated with physical processes on the Middle Atlantic Bight continental shelf, Ph.D. dissertation, in progress, 1999.

Chang, G.C. and T.D. Dickey, High temporal resolution spectral absorption measurements during the Coastal Mixing and Optics experiment, Ocean Optics XIV, Vol. 3, 1998a.

Chang, G.C. and T.D. Dickey, Preliminary observations of bio-optical variability associated with internal solitary waves during the Coastal Mixing and Optics experiment, Proc. of IOS/WHOI/ONR Internal Solitary Wave Workshop, Victoria, B.C., Canada, October 27-29, 1998b.

Chang, G.C. and T.D. Dickey, Partitioning in situ total spectral absorption by use of moored spectral absorption and attenuation meters, App. Opt., 38, 3876-3887, 1999a.

Chang, G.C. and T.D. Dickey, Optical and physical variability on time-scales from minutes to the seasonal cycle on the New England shelf: July 1996 - June 1997, J. Geophys. Res., submitted, 1999b.

Chang, G.C., T.D. Dickey, and A.J. Williams, 3rd, Sediment resuspension on the Middle Atlantic Bight continental shelf during Hurricanes Edouard and Hortense: September 1996, J. Geophys. Res., submitted, 1999.

Dickey, T.D., G.C. Chang, Y.C. Agrawal, A.J. Williams, 3rd, and P.S. Hill, Sediment resuspension in the wakes of Hurricanes Edouard and Hortense, Geophys. Res. Lett., 25,

3533-3536, 1998a.

Dickey, T., G.C. Chang, J. McNeil, M. Levine, L. Redekopp, D. Bogucki, and T. Boyd, Internal solitary waves and optical variability during the Coastal Mixing and Optics experiment, *Ocean Optics XIV*, Vol. 3, 1998b.

Pegau, W.S., J.A. Barth, and G.C. Chang, Mixing of optical properties as evidenced in salinity intrusions observed over the continental shelf in the Middle Atlantic Bight, *J. Geophys. Res.*, submitted, 1999.

Souza, A. J., T.D. Dickey, and G.C. Chang, Modelling water column structure and suspended particulate matter in the Middle Atlantic continental shelf during the passage of Hurricanes Edouard and Hortense, *J. Geophys. Res.*, submitted, 1999.

## **PUBLICATIONS**

Boss, E., W.S. Pegau, W.D. Gardner, J.R. V. Zaneveld, A.H. Barnard, G.C. Chang, and T.D. Dickey, Particulate attenuation at the bottom boundary layer of a continental shelf, *J. Geophys. Res.*, submitted, 1999.

Chang, G.C., Time scales of bio-optical variability associated with physical processes on the Middle Atlantic Bight continental shelf, Ph.D. dissertation, in progress, 1999.

Chang, G.C. and T.D. Dickey, High temporal resolution spectral absorption measurements during the Coastal Mixing and Optics experiment, *Ocean Optics XIV*, Vol. 3, 1998a.

Chang, G.C. and T.D. Dickey, Preliminary observations of bio-optical variability associated with internal solitary waves during the Coastal Mixing and Optics experiment, *Proc. of IOS/WHOI/ONR Internal Solitary Wave Workshop*, Victoria, B.C., Canada, October 27-29, 1998b.

Chang, G.C. and T.D. Dickey, Partitioning in situ total spectral absorption by use of moored spectral absorption and attenuation meters, *App. Opt.*, 38, 3876-3887, 1999a.

Chang, G.C. and T.D. Dickey, Optical and physical variability on time-scales from minutes to the seasonal cycle on the New England shelf: July 1996 - June 1997, *J. Geophys. Res.*, submitted, 1999b.

Chang, G.C., T.D. Dickey, and A.J. Williams, 3rd, Sediment resuspension on the Middle Atlantic Bight continental shelf during Hurricanes Edouard and Hortense: September 1996, *J. Geophys. Res.*, submitted, 1999.

Dickey, T.D., G.C. Chang, Y.C. Agrawal, A.J. Williams, 3rd, and P.S. Hill, Sediment resuspension in the wakes of Hurricanes Edouard and Hortense, *Geophys. Res. Lett.*, 25, 3533-3536, 1998a.

Dickey, T., G.C. Chang, J. McNeil, M. Levine, L. Redekopp, D. Bogucki, and T. Boyd, Internal

solitary waves and optical variability during the Coastal Mixing and Optics experiment, Ocean Optics XIV, Vol. 3, 1998b.

Pegau, W.S., J.A. Barth, and G.C. Chang, Mixing of optical properties as evidenced in salinity intrusions observed over the continental shelf in the Middle Atlantic Bight, J. Geophys. Res., submitted, 1999.

Souza, A. J., T.D. Dickey, and G.C. Chang, Modelling water column structure and suspended particular matter in the Middle Atlantic continental shelf during the passage of Hurricanes Edouard and Hortense, J. Geophys. Res., submitted, 1999.